Application No.	Applicant(s)	
10/600,714	LI ET AL.	
Examiner	Art Unit	
Creighton H. Smith	2614	
ears on the cover sheet with the (OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject and MPEP 1308.	e correspondence address application. If not included ion will be mailed in due course. THIS t to withdrawal from issue at the initiative	
OCT '07.		
	-	
of this communication to file a repl	is national stage application from the	
	ER'S AMENDMENT or NOTICE OF	
es reason(s) why the oath or decla	ration is deficient.	
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
5. Notice of Informal 6. Interview Summar Paper No./Mail D 7. Examiner's Amend 8. Examiner's Staten 9. Other	ry (PTO-413), Date	
	Examiner Creighton H. Smith ars on the cover sheet with the (OR REMAINS) CLOSED in this a or other appropriate communicating GHTS. This application is subject and MPEP 1308. OCT '07. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No. cuments have been received in this of this communication to file a repent of this application. tted. Note the attached EXAMINE is reason(s) why the oath or declar to be submitted. on's Patent Drawing Review (PTC at Amendment / Comment or in the declar according to 37 CFR 1.12 and the header a	

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose applicant's step of modifying a wireless system's Quality of Service in based on a network parameter that meets a predetermined threshold. No obvious combination of references found would have taught one of ordinary skill in the art to make and use applicant's method as claimed.

No where did examiner state in the Office action of 17 July '07 that the reference relied upon to reject claims 1-3, 15, 16, 20, Immonen, disclosed altering the QoS in response to a network parameter/metric meeting a certain threshold. Applicant added this language to the claims in the amendment dated 10 OCT '07 to read over Immonen. Examiner stated in the Office action that Immonen's QoS could be adjusted for real-time traffic, which read upon applicant's initial phrase of adapting the QoS in response to a loading condition.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Creighton H. Smith whose telephone number is 571/272-7546. The examiner can normally be reached on M-F, alternate Fridays off.

Application/Control Number: 10/600,714

Art Unit: 2614

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan Tsang can be reached on 571/272-7547. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000./

25 OCT '07

Creighton H Smith Primary Examiner Art Unit 2614